# SWE60N9 Large Excavator Crawler Large Digger Secondhand Efficient

#### **Basic Information**

Place of Origin: Guangxi ChinaBrand Name: liugong

Certification: CE, ISO9001: 2000

Model Number: SWE60N9 Minimum Order Quantity: 1 Set

• Price: US \$25,000.00-43,000.00 / Piece | 1 Piece

(Min. Order)

Packaging Details: ContainerDelivery Time: 5-8 work days

• Payment Terms: T/T

• Supply Ability: 15units/Month



#### **Product Specification**

Size: Large-Scale
Tail Slewing Radius: 1700mm
Origin: Guangxi China
Production Capacity: 15units/Month
Max. Digging Radius: 6160mm
Bucket Capacity: >1.5m³

Highlight: SWE60N9 Large Excavator,
 Large Excavator,

Large Excavator Crawler, Large Digger Secondhand

#### **Product Description**

## China Famous Brand Sunward Swe60n9 Crawler Excavator Secondhandfor Sale Product Specification

Model NO.	SWE60N9	Bucket Capacity	>1. 5m ³
Size	Large-Scale	Certification	CE , IS 09 00 1: 20
Max. Digging Radius	6160mm	Tail Slewing Radius	17 00 m m
Transport Package	Container	Specification	Sp eci fic ati on
Trademark	liugong	Origin	Gu an gxi Ch ina
HS Code	8429521200	Production Capacity	15 uni ts/ Mo nth

#### **Product Description**

#### Earthmoving Machinery china crawler excavator sunward SWE60N9 for sale Efficient and sensitive, leading performance

·Strong power system

The YANM AR 4TNV88-SSU and SWE70 designed and matched YANMA R 4TNV98-SSU engines specially designed for Sunward Intelligent SWE50E have strong power, reliable performance, low fuel consumption and low noise.

·Reliable hydraulic system

Three-pump full power control variable system, which can make full use of engine power. The system has functions such as straight driving, boom locking, boom priority, boom merging, auxiliary circuit merging, stick flow regeneration, etc., to rationally use the flow to improve and enhance the performance of the whole machine. Carefully match maneuverability. The hydraulic pump, main control valve, travel motor and swing motor are all imported products with high quality, stable operation and reliable operation of the whole system.

- $\cdot \text{The driver's}$  interior decoration is exquisite and complete
- ·The rear cover is fully opened and convenient for maintenance

#### **Product Parameters**

Dimensions: Length X Width X Height	5735 x 1860 x 2554 (mm)	
Machine weight: rubber track/steel track	4.84 / 4.91 (T)	
Standard bucket capacity	0.18m3	
Bucket digging force	30.3kN	
Stick digging force	26.7kN	
Largest traction	37.7kN	
Walking speed (maximum/minimum)	4.5 / 2.4 (km / h)	
Gradeability	30°	
Ground pressure	28.8kPa	
Swing speed	10.1rpm	
Engine brand	YANM AR 4TNV88-SSU	
Engine form	4-cylinder, 4-stroke, water-cooled	
engine capacity	2.19	
Engine power/speed	25.8kw / 2200rpm	

Fuel tank capacity	103L	
Main pump type	2 variable piston pumps, 1 gear pump	
Main pump flow	2 x 45 + 37 L / min	
Main relief valve pressure	24.5 / 21 (Mpa)	
Hydraulic oil tank capacity	72	

### GALLERY













#### F&Q

#### Q1:Which country do you export to?

Asia: India, Philippines, Thail and, Burma, Vietnam, Bangladesh, Kazakhstan, Turkmenistan, etc.

Middle east:Saudi Arabia,UAE,Jordan,Oman,Pakistan,etc.

Europe:Russia,Ukraine,Belarus,Bulgaria,etc.

 $\textbf{Africa:} South\ A frica, Kenya, Congo, Ethiopia, Nigeria, Ghana, Algeria, Senegal, Tunisia, etc.$ 

South America: Brazil, Peru, Chile, Cuba, Mexico, etc.

Oceania: Papua New Guinea, Australia, etc.

Q2:What is the proportion of your products export?

75% of our products are exported to all over the world.

#### Q3:What is the payment term?

Payment term is negotiable and there will be favorable payment terms for long-term customers.TT,L/C,D/P,depending on the cooperation time,country and contract value.

Q4:What kind of logistic service do you supply?

FOB,CIF,DAP,ETC.

Q5:What spare parts can you supply?  All kinds of spare parts of xcm g,shantu i,zoomlion,sinotruck,shacman,liugong,san y,sdl g,lonking,xgm a,etc.				
Hefei Gangniu Machinery Equipment Co., Ltd				
	+86 19314055186 Flora@ahgnjx.com	r-equipment.com		

Room 707, Huifeng Plaza, North First Ring Road, Hefei City, Anhui Province